


Sleepy Sheep

Quilt designed by Terri Butler of Mama Said Sew
Finished size is approximately 39" x 41"



Fabric Requirements

Requirements assume 40" of usable fabric



¼ Yard SB20053-170



½ Yard SB20053-190



½ Yard SB20157-810



1⅓ Yard SB20049-815
Backing



1-36" Panel
SB20330-810

Cutting

WOF = Width of Fabric

From Panel:

Center and trim center panel image to:
30½" X 32½", quilt center.

From Light Grey Squiggle:

(4) 1½" X WOF strips, sub cut into:
(4) 1½" X 32½", border #1 strips.

From Dark Grey Squiggle:

(4) 1" X WOF, Flange.
(5) 2½" X WOF, Binding strips.

From Green Dot:

(4) 4" X WOF, sub cut into:
(2) 4" X 34½", right and left border #2 strips.
(2) 4" X 39½", top and bottom border #2 strips.

Quilt Assembly

Seams are ¼" unless otherwise indicated
Press as you stitch

1. Border #1, with Light Grey Squiggle border #1 strips:

Stitch 1½" X 32½" border strips to sides of quilt center.


Stitch remaining 1½" X 32½" border strips to top and bottom of quilt center.

2. Flange:

With Dark Grey Squiggle 1" strips, press strips in half to create (4) ½" X WOF flange strips.
Stitch one flange strip to each side of quilt with ⅛" seam. Trim away extra flange strip. Diagram 1.

Quilt Assembly Diagram


Diagram 1



3. Border #2, with Green Dot border #2 strips:
Stitch 4" X 34½" border strips to sides of quilt.
Stitch 4" X 39½" border strips to top and bottom of quilt center.

4. Prepare binding:

Trim away selvages from Dark Grey Squiggle binding strips. With right sides facing up, trim all ends of binding strips at the same 45° angle. Stitch angled seams together and press seams open. Fold Binding strip in half and press, to make continuous 1¼" binding strip.



Quilt Finishing

1. Layer quilt top with batting and backing.
2. Quilt as desired.
3. Square quilt.
4. Bind as usual.